

AD A108871

AFGL-TR-81-0199

12

LEVEL II

AIRCRAFT-BORNE MEASUREMENT OF INFRARED SOURCES  
AND BACKGROUNDS

Ronald J. Huppi

Electro-Dynamics Laboratories (SRL)  
Utah State University  
139 The Great Road  
Bedford, Massachusetts 01730

30 June 1981

Final Report  
21 Oct 77 to 30 Jun 81

Approved for public release; distribution unlimited.

Partly supported by Defense Advanced Research Projects Agency,  
ARPA Order 2656, monitored by U.S. Army Missile Command under  
MIPR A3168E-37-7W02, Subject: Aircraft and Background Infrared  
Signature Measurements and partly sponsored by the Defense  
Nuclear Agency under Subtask S99QZXHI004, Work Unit 11,  
entitled: Infrared Phenomenology and Optical Code Development

AIR FORCE GEOPHYSICS LABORATORY  
AIR FORCE SYSTEMS COMMAND  
UNITED STATES AIR FORCE  
HANSCOM AFB, MASSACHUSETTS 01731

DTIC  
ELECTE  
S DEC 28 1981 D

D

8112 2807

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFGL-TR-81-0199	2. GOVT ACCESSION NO. AD A108 871	3. RECIPIENT'S CATALOG NUMBER EDL-SRL-81-3
4. TITLE (and Subtitle)  Aircraft-Borne Measurement of Infrared Sources and Backgrounds		5. TYPE OF REPORT & PERIOD COVERED Final Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Ronald J. Huppi		8. CONTRACT OR GRANT NUMBER(s) F19628-78-C-0018
9. PERFORMING ORGANIZATION NAME AND ADDRESS Electro-Dynamics Laboratories (SRL) Utah State University 139 The Great Road, Bedford, MA. 01730		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 767011AB
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Geophysics Laboratory Hanscom AFB, Massachusetts 01731 Monitor: Capt. R.P. Walker/OPR		12. REPORT DATE 30 June 81
		13. NUMBER OF PAGES 59
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release, distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Partly supported by Defense Advanced Research Projects Agency, ARPA Order 2656, monitored by U.S. Army Missile Command under MIPR A3168E-37-7W02, Subject: Aircraft and Background Infrared Signature Measurements and partly sponsored by the Defense		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Radiometers, interferometer-spectrometer, spatial mapper, infrared emissions, infrared reflections, atmospheric emissions, target emissions, infrared background, auroral enhancements, hydroxyl airglow, aircraft, nitric oxide.		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Instruments for infrared measurements of natural and man produced infrared sources are described and measurements were planned, performed, and analyzed. The measured or analyzed data included the following: Measurements of aircraft emissions and reflections in fixed spectral bands between 2.5 and 7.5 $\mu\text{m}$ ; analyses of near infrared auroral and airglow emissions in the 1.7 $\mu\text{m}$ and 2.8 $\mu\text{m}$ region; and quantitative measurements and		

DD FORM 1 JAN 73 1473

(MICROMETER)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

411370

UNCLASSIFIED

MICROMETER

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

analyses of the spatial emissions and backgrounds in the 2 to 15 $\mu$ m region. The measurements were taken with the radiometric instruments described and by spectrometers, and spatial mappers which were operated on AFGL's NKC-135 aircraft. The instruments were periodically inspected, maintained and kept in a state of readiness. Studies and recommendations were made indicating that the reliability of many future measurements could be improved using cryogenically cooled radiometers and interferometer-spectrometers.

Item 18 (Cont'd)

Nuclear Agency under Subtask S99QZXHI004, Work Unit 11, entitled: Infrared Phenomenology and Optical Code Development.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

### ACKNOWLEDGEMENTS

The Defense Nuclear Agency and Defense Advanced Research Projects Agency sponsored the research covered by this contract. The efforts were defined and monitored by AFGL. The continued support of these agencies was greatly appreciated.

Several employees of the Electro-Dynamics Laboratories (EDL) were instrumental in the completion of the contractual efforts. Supervision of the efforts was performed by Ronald J. Huppi and Doran J. Baker. Engineering and field measurement support were provided by Thomas Hudson, Dr. John H. Schummers, Brian Walker and Ronald J. Huppi. Data reduction and analysis efforts were accomplished by Ronald J. Huppi, John H. Schummers, Brian Walker and Charles Eastman. In addition, the complete EDL team was available for consultation providing great depth for solving the required problems.


The author would also like to recognize the direction given by Brian P. Sandford and Dr. A.T. Stair of AFGL. Their guidance and interest in the efforts were appreciated.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DTIC  
ELECTE  
DEC 28 1981  
S D

## TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS.....	3
INTRODUCTION.....	7
MODIFICATIONS AND MAINTENANCE OF THE DUAL CHANNEL NIR SYSTEM.....	8
MAINTENANCE, CALIBRATION, AND MODIFICATION OF THE TYPE III INTERFEROMETER-RADIOMETER SYSTEM.....	16
REDUCTION AND ANALYSIS OF 1.7 $\mu$ m AND 2.9 $\mu$ m AURORAL MEASUREMENTS.....	30
INFRARED MEASUREMENTS OF AIRCRAFT EMISSIONS AND REFLECTIONS.....	31
SPATIAL INFRARED MEASUREMENTS.....	35
SCIENTIFIC AND OPEN LITERATURE REPORTS.....	38
REFERENCES.....	39



## LIST OF ILLUSTRATIONS

	Page
Figure 1. Dual channel NIR radiometer.....	9
Figure 2. Four channel NIR radiometer.....	10
Figure 3. Three channel NIR radiometer with infrared image viewer .....	11
Figure 4. Multi-channel radiometer mounted on trackable aircraft-borne platform.....	12
Figure 5. Optical layout of each radiometer channel..	14
Figure 6. Typical reticle chopper and aperture plate.	14
Figure 7. Liquid nitrogen cooled chopper and warm interferometer system.....	17
Figure 8. Cryogenically cooled chopper assembly mounted in the AFGL KC-135 aircraft.....	18
Figure 9. Calibration set up for the liquid nitrogen cooled chopper-collimator.....	20
Figure 10. Cryogenically cooled radiometer developed for aircraft use.....	23
Figure 11. Aircraft-borne cryogenically cooled window and baffle system.....	24
Figure 12. Trackable eyeball mount.....	25
Figure 13. Cryogenically cooled radiometer mounted in the aircraft.....	27
Figure 14. Optical layout of a cryogenic radiometer for aircraft use.....	28
Figure 15. Cryogenically cooled interferometer-spectro- meter and dewar assembly for aircraft use..	29
Figure 16. Comparison of 2.9 $\mu\text{m}$ enhancements and 3914Å $\text{N}_2^+$ emissions for data measured 7 Mar 76....	33
Figure 17. Comparison of 2.9 $\mu\text{m}$ enhancements and 3914Å $\text{N}_2^+$ emissions for data measured 26 Mar 76...	34

# LIST OF TABLES

	Page
Table 1. Optical Transmissions of the Liquid N <sub>2</sub> Chopper System with Ca <sub>a</sub> F1 and GE-106 Windows for Various Fields of View of Radiometers.....	21
Table 2. Photoenergy Efficiencies of Aurorally Excited Overtone NO Emissions.....	32



## INTRODUCTION

Under this contract Utah State University (USU) has planned and performed spectral infrared measurements of natural and manmade background and target sources. The measurements were taken with radiometers and interferometer-spectrometers from an Air Force NKC-135 aircraft. The infrared instruments were maintained, improved, and operated in the field by USU employees.

Much of the measured data has been reduced and analyzed. Reports have been written which incorporate the measured data. Also, a report describing the advantages and the limitations of using cryogenic Fourier-transform interferometers was written to provide guide lines for planning future measurements.

The major contractual efforts performed for the contract are itemized below:

1. Modifications and maintenance of the Dual-Channel NIR radiometer system were made.
2. Modifications and inspections of the Type III interferometer system were periodically made.
3. Reductions and analyses of infrared auroral measurements in the 1.70  $\mu\text{m}$  and 2.9  $\mu\text{m}$  regions were made and reported.
4. Infrared measurements of aircraft emissions and reflections from 2.5  $\mu\text{m}$  to 7.5  $\mu\text{m}$  were performed with the NIR radiometer system.
5. Support was given to collect and analyze spatial infrared data.
6. Scientific reports and open literature reports were written and published.

The work performed on the tasks listed above are summarized in this report. The completion of the items fulfill the contractual requirements.

## MODIFICATIONS AND MAINTENANCE OF THE DUAL CHANNEL NIR SYSTEM

Pictorially, the original dual channel NIR radiometer is shown in Figure 1. Modified versions of this radiometer were used in this contract. The modified instruments have additional infrared channels. A four channel configuration is shown in Figure 2, and a three channel configuration incorporating a Probeye\* infrared viewing device is shown in Figure 3. The three channel configuration is actually made from the four channel unit through the use of a reversible modification. The modification was designed and constructed under the contract to improve the capabilities of the instrument for the specific measurements of interest.

To accomplish the planned contractual measurements, either a three channel or a four channel radiometer was placed on a trackable platform in the aircraft as shown in Figure 4. The instrument views a target or background through a 12-inch diameter germanium window mounted to the aircraft shell. Either the three or the four channel configuration can be hand tracked on an infrared target through the use of the Probeye infrared viewer which converts an infrared image to a visible image. The three channel configuration is sometimes desired over the four channel configuration since it has less tracking limitations when mounted on the existing aircraft platform.

Each channel of the radiometers has independent optics and an independent detector, but the multi-channel instruments use a common optical chopper and a common filter wheel to minimize the physical size of the unit. The optical layout of each channel is represented in Figure 5. The basic lens system consists of a 2-inch diameter, f/2.5 objective lens followed

-----

\*The Probeye infrared viewer is a commercially available unit manufactured by Hughes Aircraft Company.




Figure 1. Dual channel NIR radiometer.




Figure 2. Four channel NIR radiometer.




Figure 3. Three channel NIR radiometer with infrared image viewer.




Figure 4. Multi-channel radiometer mounted on trackable aircraft-borne platform.

by a 1-inch diameter  $f/7$  field lens. The objective lens images point at infinity on the aperture plane which defines the field of view of the radiometer. Since the objective lens is relatively slow, its imaging properties can be made extremely good to guarantee a sharply defined field of view. However, the field lens does not require these same sharp imaging qualities, since its function is to collect the optical signal passing through the aperture and condense it onto a detector. As a result, the field lens can be made relatively fast which minimizes the required detector size and maintains a low equivalent  $f$  number for the optical system.

As shown in Figure 5, the radiometer design incorporates an optical chopper to modulate the signal. The chopper is located within .025 inches of the aperture plane. The standard chopper modulates the complete aperture on a fifty percent duty cycle basis; however, coded or reticle type choppers were typically used to define the aperture.

The reticle configuration is extremely useful for target emission measurements at wavelengths as long as  $7\text{ }\mu\text{m}$ . The reticle system is designed to balance out the instrument thermal emissions and also bright uniform backgrounds. However, small infrared targets are not balanced out, and they are detectable with the radiometer.

A typical reticle chopper and aperture arrangement is shown in Figure 6. These parts replace the chopper and aperture shown in the optical layout presented in Figure 5. The chopper is constructed such that an equal and a constant amount of the aperture area is blocked and open at all times while the chopper is rotating. As a result, large uniform radiation sources which fill the field aperture opening are unmodulated when they reach the detector. Emissions reaching the detector from the chopper blade and instrument are also unmodulated, since they are also uniform and fill a constant area of the aperture at all times. However, a source will be completely modulated upon reaching the detector if its image size in the




Figure 5. Optical layout of each radiometer channel.




Figure 6. Typical reticle chopper and aperture plate.



focal plane of the objective lens is smaller than the size of the opening formed by one chopper blade opening and the aperture opening. These modulated signals are the only ones that are detectable with the radiometer, since the detector signals are synchronously demodulated with a vector phase-lock amplifier which extracts only modulated signals that are referenced to the chopper. These characteristics made the instrument very useful for the measurement of infrared targets such as airplanes and rockets.

The FOV of the radiometer channels can be tailored to the measurements needs by changing the reticle and aperture. Different reticle and aperture sizes were designed and used during the contract. Typically the instantaneous FOV of two channels of the radiometer were designed to be  $2^\circ$  vertical by  $4^\circ$  horizontal while the remaining one or two channels were designed to be  $4^\circ$  vertical by  $2^\circ$  horizontal. On occasion, a different reticle was used to change all the FOV's to  $.5^\circ$  by  $.5^\circ$ .

The advantages of operating the radiometer with a reticle type chopper are many. However, the radiometer operating in the reticle mode has some practical limitations. In addition to the usual limitations of the detector's sensitivity and the qualities of the optical components, there are practical limitations as to what extent the reticle scheme can suppress or balance out the thermal emissions of the instrument and the extended bright backgrounds. If a reticle is carefully constructed and optically balanced, one can obtain as much as four orders of background suppression. With this suppression, the uncooled instrument is capable of measuring sources having spectral radiances as small as  $10^{-8}$  watts/cm<sup>2</sup>sr  $\mu$ m in the 4 to 5  $\mu$ m range. At shorter wavelengths even lower intensity sources can be measured, while at longer wavelengths the instrument is more limited because of the increased instrument thermal emissions.

The NIR radiometer system has proven to be a valuable and

reliable tool for extensive measurement programs. It was maintained and kept in a state of readiness for the entire contractual period. No major failures occurred as a result of the continual and comprehensive inspections, calibrations, and maintenance procedures which were followed. All electrical, optical and mechanical parts were inspected after each flight or monthly. Any marginal parts were immediately replaced or repaired. Calibrations were periodically performed to provide accurate absolute measurements of the various emission sources of interest. The procedures described by *Sandford et al.*, [1976] were used to perform these calibrations. The calibrations were primarily done in the laboratory, but a limited amount of secondary calibrations were done while airborne to give assurance that the instrumental characteristics were stable.

#### MAINTENANCE, CALIBRATION, AND MODIFICATION OF THE TYPE III INTERFEROMETER-RADIOMETER SYSTEM

The layout of the Type III interferometer-radiometer system is shown in Figure 7. As described by *Huppi* [1974], the interferometers or radiometers operate at ambient temperatures inside the aircraft while the chopper acts as a cold reference and provides a method for distinguishing between the source emissions and the thermal emissions of the aircraft and instrument structures. Three instruments can be operated simultaneously behind the three windows in the chopper assembly which mounts to the aircraft surface as shown in Figure 8.

The complete system including the chopper assembly, interferometers, and radiometers was periodically inspected, maintained, and kept in a state of readiness. Since AFGL elected not to fly the system during the contract period, no major replacement parts were needed; and only simple parts such as preamplifier battery packs were replaced.




Figure 7. Liquid nitrogen cooled chopper and warm interferometer system.




Figure 8. Cryogenically cooled chopper assembly mounted in the AFGL KC-135 aircraft.

The radiometer and interferometer components were calibrated in the laboratory using conventional techniques similar to those described by *Sandford et al.* [1976]. Typically, the calibrations were done using both a point source and an extended source to guarantee the accuracy of the procedures.

In addition to the calibrations of the radiometers and interferometers, the Type III system has an added calibration problem, since the instruments are operated behind the cold optical chopper and collimator system as shown in Figure 7. The attenuation of this chopper system must be determined if absolute values are to be placed on data measured through the system. The calibration is complicated by the fact that the attenuation of the collimator portion varies as a function of angle; and therefore, the throughput will vary when used with instruments having different fields of view. The best way to calibrate the attenuation effect of the collimator is to perform a measurement using an extended source, the chopper system, and the actual radiometer or interferometer which is to be used. This process was performed for a radiometer for three fields of view settings. The calibration set up is shown in Figure 9. As shown, a point source is chopped and sent into an integrating sphere. The sphere converts the point source to an extended source which is then measurable with the radiometer through the chopper system. During this process, the chopper blade is left in the open position. Then the chopper system is removed and the measurement is repeated. The ratio between the first and second measurement gives the integrated attenuation of the collimator and aperture for the specific field of view characteristics of the radiometer. Table 1 summarizes the attenuation of the chopper system for the three fields of view which were measured with a type III radiometer whose entrance aperture is partially vignetted by the chopper aperture. These values give a rough overview of typical attenuations that can be expected for a practical radiometer or interferometer for various fields of view. To




Figure 9. Calibration set up for the liquid nitrogen cooled chopper-collimator.

TABLE 1. OPTICAL TRANSMISSIONS OF THE LIQUID N<sub>2</sub> CHOPPER SYSTEM WITH Ca<sub>2</sub>F1 AND GE-106 WINDOWS FOR VARIOUS FIELDS OF VIEW OF RADIOMETERS.

Field of View (Degrees)	Window Type	Measurement Wavelength ( $\mu$ m)	Window & Collimator Transmittance Unchopped (Percent)
10	Ca <sub>2</sub> F1	2.9	23.5
10	GE-106	2.9	19.1
5	Ca <sub>2</sub> F1	2.9	31.0
5	GE-106	2.9	28.7
2	Ca <sub>2</sub> F1	2.9	34.5
2	GE-106	2.9	31.0

complete the calibration of the chopper system, the above results must be multiplied by the chopping efficiency of the rotating chopper. This efficiency can be readily calculated from the geometry of the system. The actual chopper blade modulates the incoming radiation in an almost sinusoidal fashion and has an efficiency of about 40%. This is only slightly less than an optimum square wave chopper which has an efficiency of 50%.

The complexity of the calibration of the Type III chopper-collimator system and the sensitivity limitations of the warm instrument used with the system are undesirable features. This has led to investigations of the advantages and limitations of interferometer and radiometer systems which incorporate cryogenic cooling techniques to cool the instrument's optics, structures, and detectors. Scientific Report No. 2 by *Huppi and Stead* [1981] outlines the advantages, the limitations, and some typical characteristics of cryogenically cooled Fourier transform spectrometers. The report indicates that cooling an FT-IR interferometer-spectrometer can substantially improve its sensitivity, reduce or eliminate its unwanted background signals from self-emissions, and stabilize its optical alignment. As a result of the investigations it is suggested that the type III interferometer-radiometer system be modified or replaced by cryogenically cooled instruments.

Using recently developed and proven technology, cryogenically cooled interferometers and radiometers could readily be designed and constructed to operate in the aircraft. A cryogenically cooled radiometer system which has been developed and tested by USU for aircraft use is shown in Figure 10. The radiometer is made to operate in the AFGL KC-135 aircraft behind a cryogenically cooled window and baffle system which was initially developed by John Rex of AFGL and is shown in Figure 11. The window and baffle are mounted in the eyeball arrangement shown in Figure 12 which allows the optical axis to be rotated  $25^{\circ}$  in any direction from the normal position.





Figure 10. Cryogenically cooled radiometer developed for aircraft use.




Figure 11. Aircraft-borne cryogenically cooled window and baffle system.




Figure 12. Trackable eyeball mount.

A photograph of the radiometer and mounting configuration is shown in Figure 13. The basic infrared optical system is shown in Figure 14. The detector, the lens system and the radiometer structures are all cooled to 77°K by conduction from a LN<sub>2</sub> cold finger. The entrance window and the baffle are also cooled with LN<sub>2</sub>, and they are defrosted with gaseous N<sub>2</sub> which boils off of LN<sub>2</sub>. Actual temperature measurements on the window and baffle system during a flight indicate that temperatures between 77°K and 87°K can be maintained, and no frosting occurs. This completely cold radiometer and window system operates very reliably over long periods of time, and it can be tracked on a target with a visible sighting scope. Thus, it would appear that it is an ideal system for measurements of the type performed for TEAL RUBY and other similar programs.

A pictorial view of a cryogenically cooled interferometer-spectrometer and dewar assembly is shown in Figure 15. The interferometer uses a standard flat mirror Michelson arrangement which has a flex-pivot drive mechanism to move one mirror. The drive mechanism is of the type initially designed by John Rex of AFGL. Cryogenic operation of the interferometer has been accomplished by *Kemp and Huppi* [1980]. The dewar system, shown in Figure 15, is made to interface with the cold window and baffle system described previously. Vibration isolation for the interferometer is accomplished external to the dewar through the use of Berry mounts and a large flexible bellows. The bellows and mounts respectively isolate the main part of the dewar from the eyeball assembly and the aircraft structures. Additional vibration isolation of the interferometer is obtained inside the dewar through the use of a flex-pivot mounting arrangement. The interface of the interferometer dewar to the eyeball arrangement enable the complete unit to be tracked or aimed at sources. Thus, if the Type III interferometer system were replaced with one of these cryogenically




Figure 13. Cryogenically cooled radiometer mounted in the aircraft.




Figure 14. Optical layout of a cryogenic radiometer for aircraft use.




Figure 15. Cryogenically cooled interferometer-spectrometer and dewar assembly for aircraft use.

cooled units it could be used for measuring target emissions as well as atmospheric aurorae and airglow emissions.

#### REDUCTION AND ANALYSIS OF 1.7 $\mu\text{m}$ AND 2.9 $\mu\text{m}$ AURORAL MEASUREMENTS

Significant infrared emission enhancements in a spectral band centered at 2.94  $\mu\text{m}$  (2.84-3.04  $\mu\text{m}$ ) have been measured from the AFGL KC-135 aircraft with the Type III radiometer system while viewing an aurorally enhanced atmosphere. The measurements were made as part of the 1976 DNA/AFGL ICECAP program by *Huppi and Reed* [1977]. The 2.94  $\mu\text{m}$  enhancements are spatially and temporally correlated with aurorally induced enhancements of the  $\text{N}_2^+$  first negative band at 3914A. The measured 2.94  $\mu\text{m}$  enhancements are superimposed on a slowly varying background emission which even exists at times when the atmosphere is not excited by aurora. *Huppi and Reed* [1977] postulate that this background is mainly chemiluminescence from hydroxyl (OH) fundamental airglow chemistry. However, this OH chemiluminescence is not a feasible source of the measured 2.94  $\mu\text{m}$  enhancements, since corresponding enhancements are not seen in the OH overtone (5,3) and (6,4) bands as monitored by a coaligned 1.7  $\mu\text{m}$  (1.66 - 1.74  $\mu\text{m}$ ) radiometer. A more feasible source of the enhancements, postulated by *Stair et al.*, [1975], is chemiluminescence generated by nitric oxide (NO) first overtone ( $\Delta V = 2$ ) chemistry.

As part of this contract, investigations of the 2.94  $\mu\text{m}$  background and the enhancement emissions were performed and reported by *Schummers and Huppi* [1979] in Scientific Report No. 1. Consideration was first given to the source producing the slowly varying background. Calculations were performed showing that OH fundamental emissions can completely account for the measured background levels. Assuming that the OH fundamental emission intensities are directly and temporally correlated with the OH overtone emissions as monitored at



1.7  $\mu\text{m}$ , an experimental method for separating or removing the postulated OH background from the auroral enhancements was applied to the 2.9  $\mu\text{m}$  data. The experimental results, based on the actual measurements, verified that the calculated OH predictions are feasible. Once the background was subtracted from the data, magnitude and temporal comparisons were made between the enhancements occurring at 2.94  $\mu\text{m}$  and 3914A. Figure 16 and Figure 17 show samples of the measured data and some of the comparisons. The comparisons indicate that the auroral enhancements at 3914A and 2.94  $\mu\text{m}$  are closely correlated. Assuming that the 2.94  $\mu\text{m}$  enhancements are chemiluminescence from NO chemistry and using the 3914A emissions as a monitor of the total auroral energy, the percentage of the total auroral energy which was emitted as NO photons (photo-energy efficiency) was calculated for seven measurement periods. The results are tabulated in Table 2. As shown in the table, the photo-energy efficiency varies significantly from one auroral event to another. Presently, it is postulated that these variations are due to altitude dependencies of the reaction relative to variations in auroral penetration.

#### INFRARED MEASUREMENTS OF AIRCRAFT EMISSIONS AND REFLECTIONS

Infrared emissions generated or reflected from various aircrafts during flight were monitored with the NIR radiometer system operating in a three or four channel configuration from the AFGL NKC-135 flying laboratory. Up to twelve selectable spectral bands in the 2.5 to 7.5  $\mu\text{m}$  range were monitored on each aircraft, as defined by *Sandford et al.* [1976]. Time histories of the irradiances of the aircraft sources were measured for various power increases, power decreases, fixed power settings and aircraft maneuvers. Absolute irradiance numbers were obtained for the various power conditions. Specific radiometric measurements and supporting comparisons with the data from the AFGL interferometer-spectrometer and

TABLE 2. PHOTOENERGY EFFICIENCIES OF AURORALLY EXCITED OVERTONE NO EMISSIONS

Date	Time	Ratio		Ratio Photons (NO) <sup>b</sup> Photons (3914A)	% of Auroral Electron Energy Radiated as NO Overtone Photons
		2.9 $\mu$ m 3914A	Radiance (kR) <sup>a</sup> Radiance (kR)		
7 March 1976	1000-1030	3.0		7.5	0.54
7 March 1976	1120-1150	3.0		7.5	0.54
26 March 1976	1010-1040	5.2		13.0	0.93
26 March 1976	1120-1150	4.3		10.8	0.77
26 March 1976	0905-0935	4.3		10.8	0.77
8 March 1976	0730-0800	3.3		8.3	.59
3 March 1976	0500-0530	2.3		5.8	.41

<sup>a</sup>The measured 2.9  $\mu$ m enhancement occurring within the spectral bandpass of the instrument which includes only a portion of the complete NO band.

<sup>b</sup>The total photons emitted from the complete NO overtone band which is determined by scaling the measured 2.9  $\mu$ m radiance by an appropriate factor based on a synthetic NO model.




Figure 16. Comparison of 2.9  $\mu\text{m}$  enhancements and 3914  $\text{\AA}$   $\text{N}_2^+$  emissions for data measured 7 March 1976.




Figure 17. Comparison of 2.9  $\mu\text{m}$  enhancements and 3914  $\text{\AA}$   $\text{N}_2^+$  emissions for data measured 26 March 1976.

the thermal spatial scanners have been presented in a series of AFGL reports co-authored with Brian Sandford and his associates. The radiometric data and the results of the comparisons are reported as direct contributions to the appropriate chapters of the reports.

The comparisons between the radiometric data and the interferometric data were accomplished by integrating the measured interferometric spectra over the spectral passbands of the radiometer. As presented in the AFGL reports, the radiometer measurements and interferometer measurements are in good agreement.

#### SPATIAL INFRARED MEASUREMENTS

A large amount of spatial infrared measurements were taken of backgrounds and airborne vehicles with the AFGL Norelco spatial mapper system. The measurements were made from the AFGL NKC-135 aircraft. USU supported the measurements by supplying personnel to track the instruments and to operate the control consoles during many data gathering missions.

A significant amount of data reduction and analysis were performed on the collected data using a Hewlett-Packard Model 21MX computer-analyzer system. The reduction and analysis procedures which were developed and followed enable the data to be presented in various calibrated formats. The basic procedures involved in the analysis of the data are described in the following paragraphs.

The first step is to assess the data. It is necessary to determine what scene was being viewed as a function of time and which bandpass filters were used during the data collecting runs. This is done by monitoring various house-keeping functions and the voice information on the recorded data tapes. Using this information, the time intervals of interest can be defined. The computer can then be commanded to digitize several infrared pictures and store them on a digital disc memory. Once a large number of pictures have been

digitized, they are displayed on the pictorial display device. By careful examination of each digitized picture, individual pictures can be selected for further processing, or in cases where the scene is stationary for several frames, the pictures can be averaged for better signal to noise levels and then further processed.

The next step is to eliminate or minimize any distortions introduced by the measurement system. The most important distortions introduced into the data are caused by the ac coupling of each detector in the instrument before the detectors are multiplexed together to form the analog video signal. This ac coupling is used to reduce the large amount of low frequency noise produced by the detectors, but it also eliminates the low frequency structure in the pictures. In the most general situation, the low frequencies cannot be re-inserted into the data; but under many circumstances, the appropriate low frequency signals can be assumed known, and higher frequencies boosted to compensate for the attenuation by the instrument. Other types of distortions can also exist due to the ac coupling. Since each detector is ac coupled independently the average level can shift due to differences in the scene from detector to detector, but if all detectors can be forced to agree in that region and thereby reduce the offsets in average level between detectors. If large noise spikes occur in certain spots, the picture can be filtered in small regions to eliminate or reduce the noise.

The remaining procedures to be applied to the data involved calibration and display. Once the response of each detector is known for each bandpass filter that was used, calibration of the data frame is reasonably straight forward. One difficulty arises when the filter passband is not flat and the spectral energy distribution of the source across the band is not uniform. The reduction programs were written to allow a spectral calibration to be used with an input spectral energy distribution, but in many cases the detailed spectral

characteristics of the calibration and the incoming energy are not accurately known. In these cases, appropriate assumptions have to be made. One of the most difficult problems encountered was to obtain calibrations of the detectors that were repeatable and stable with time. Many erroneous calibrations were performed due to high background levels that were not subtracted out, measurement procedures that were inadequate, or calibration signals that were not the necessary size and shape. These problems have been sorted out and accurate calibrations can now be made.

The last step of reducing the data concerns storage and display of the corrected and calibrated pictures. Storage is important since many pictures are analyzed and comparisons between many pictures are desired. The storage problem was solved by giving each file a name that described its type, i.e., data or calibration, the bandpass filter used, and the time of measurement, and then storing it on the disc file storage area. Each picture can then be recovered, further processed or displayed at any time. An adequate display of the final results is a critical part of the analysis as well, since a proper type of display is necessary to pass the information on to the user. Calibrated pictorial displays, contour plots and perspective plots are some of the display methods currently used.

The analyzed spatial data has been reported in co-authored reports published by the Air Force Geophysics Laboratory.

### SCIENTIFIC AND OPEN LITERATURE REPORTS

The data measurements, the data reduction, and the instrumentation work performed for this contract led or contributed to several reports. The reports are published as AFGL scientific reports or as open literature reports. Quarterly status reports were also written but were not formally published.

The following is a listing of the reports published by Utah State University.

Schummers, John H., and Ronald J. Huppi, *Interpretation of NO and OH Emission from 1976 Airborne Measurements*, Sc. Rpt. No. 1, Contract F19628-78-C-0018, AFGL-TR-79-0027, 1979.

Huppi, Ronald J., and Allan J. Steed, *Cryogenically Cooled Infrared Interferometric Spectrometers*, Sc. Rpt. No. 2, Contract F19628-73-C-0018, 1981.

Huppi, Ronald J., Allan J. Steed, and E. Ray Huppi, *Cryogenically Cooled Fourier Transform Spectrometers*, to be published in proceedings of 1981 International FT-IR Conference (SPIE), 1981.

Huppi, Ronald J., and A.T. Stair, Jr., *Aurorally Enhanced Infrared Emissions*, Applied Optics, Vol. 18, p. 3394, 1979.

Kemp, John C., and Ronald J. Huppi, *Rocket-borne Cryogenic Interferometer Spectrometer Used for an Artificial Auroral Measurement*, Proc. of Soc. Photo-Optical Instr. Engrs. Vol. 245, p. 34, 1980.

Huppi, Ronald J., Randy B. Shipley, and E. Ray Huppi, *Balloon-borne Fourier Spectrometer Using a Focal Plane Detector Array*, Proc. of Soc. Photo-Optical Instr. Engrs., Vol. 191, p. 26 (1979).



## REFERENCES

Huppi, E.R., J.W. Rogers, and A.T. Stair, Jr. [1974] *Aircraft Observations of the Infrared Emission of the Atmosphere in the 700-2800  $\text{cm}^{-1}$  Region*, Applied Optics, Vol. 13, No. 6, June 1974, p. 1466.

Huppi, R.J., and J.W. Reed [1977], *Aircraft Borne Measurements of Infrared Enhancements During ICECAP 1975 and 1976*, HAES Report 68, AFGL-TR-77-0232.

Huppi, Ronald J., Allan J. Steed, and E. Ray Huppi, [1981], *Cryogenically Cooled Fourier Transform Spectrometers*, to be published in proceedings of 1981 International FT-IR Conference (SPIE), 1981.

Kemp, John C., and Ronald J. Huppi [1980], *Rocket-borne Cryogenic Interferometer Spectrometer Used for an Artificial Auroral Measurement*, Proc. of Soc. Photo-Optical Instr. Engrs., Vol. 245, p. 34.

Sandford, Brian P., John H. Schummers, John D. Rex, Jack Shumsky, Ronald J. Huppi, Randall B. Sluder [1976], (U) *Aircraft Signatures in the Infrared 1.2 to 5.5 Micron Region*, Volume I--Instrumentation, AFGL-TR-76-0133[I], Hanscom Air Force Base, Mass., 28 June 1976.

Schummers, John H., and Ronald J. Huppi, [1979], *Interpretation of NO and OH Emission from 1976 Airborne Measurements*, Sc. Rpt. No. 1, Contract F19628-78-C-0018, AFGL-TR-79-0027.

Stair, A.T., Jr., J.C. Ulwick, K.D. Baker and D.J. Baker, *Rocketborne Observations of Atmospheric Infrared Emissions in the Auroral Region*, (Reidel, Holland, 1975), p. 335.

## DISTRIBUTION LIST

Director  
Defense Advanced Rsch Proj Agency  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: Lt Col W.A. Whitaker

Director  
Defense Advanced Rsch Proj Agency  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: Lt. Col. W. Cuneo

Defense Documentation Center  
Cameron Station  
Alexandria, VA 22314  
Attn: TC

Defense Documentation Center  
Cameron Station  
Alexandria, VA 22314  
Attn: TC

Director  
Defense Nuclear Agency  
Washington, DC 20305  
Attn: RAAE Charles A. Blank

Director  
Defense Nuclear Agency  
Washington, DC 20305  
Attn: TITL Tech Library

Director  
Defense Nuclear Agency  
Washington, DC 20303  
Attn: TITL Tech Library

Director  
Defense Nuclear Agency  
Washington, DC 20305  
Attn: RAEV Harold C. Fitz, Jr.

Director  
Defense Nuclear Agency  
Washington, D.C. 20305  
Attn: TISI Archives

Director  
Defense Nuclear Agency  
Washington, DC 20305  
Attn: DDST

Director  
Defense Nuclear Agency  
Washington, DC 20305  
Attn: Major R. Bigoni/RAAE

Director of Defense Research  
and Engineering  
Department of Defense  
Washington, DC 20301  
Attn: DD/S&SS (OS)  
Daniel Brockway

Director of Defense Research  
& Engineering  
Department of Defense  
Washington, DC 20301  
Attn: DD/S&SS  
Daniel Brockway

Commander  
Field Command  
Defense Nuclear Agency  
Kirtland AFB, NM 87115  
Attn: FCPR

Chief Livermore Division  
Field Command DNA  
Lawrence Livermore Lab.  
P.O. Box 808  
Livermore, CA 94550  
Attn: FCPRL

Commander/Director  
Atmospheric Sciences Laboratory  
US Army Electronics Command  
White Sands Missile Range,  
New Mexico 88002  
Attn: H. Ballard (3 copies)

Commander/Director  
Atmospheric Sciences Laboratory  
US Army Electronics Command  
White Sands Missile Range,  
New Mexico 88002  
Attn: DRSEL-BL-SY-A F. Niles  
(3 copies)

Commander  
Harry Diamond Laboratories  
2800 Powder Mill Road  
Adelphi, MD 20783  
Attn: DRXDO-NP, F.H. Wiminetz

Commander  
US Army Nuclear Agency  
Fort Bliss, TX 79916  
Attn: MONA-WE

Director  
BMD Advanced Tech Center  
Huntsville, AL 35808  
Attn: ATC-T, M. Capps

Director  
BMD Advanced Tech Center  
Huntsville, AL 35807  
Attn: ATC00, W. Davies

Dep.Chief of Staff for Rsch,  
DEV & ACO  
Department of the Army  
Washington, DC 20310  
Attn: MBC Division

Dep.Chief of Staff for Rsch,  
DEV & ACO  
Department of the Army  
Washington, DC 20310  
Attn: DAMA-CSZ-O

Dep.Chief of Staff for Rsch  
DEV & ACO  
Department of the Army  
Washington, DC 20310  
Attn: DAMA-WSZC

Director  
US Army Ballistic Research Lab  
Aberdeen Proving Grounds  
Maryland 21005  
Attn: DRXBR-AM G. Keller

Director  
US Army Ballistic Research Lab  
Aberdeen Proving Grounds  
Maryland 21005  
Attn: DRXRD-BSP J. Heimerl

Director  
US Army Ballistic Research Lab  
Aberdeen Proving Grounds  
Maryland, 21005  
Attn: John Mester

Director  
US Army Ballistic Research Lab  
Aberdeen Proving Grounds  
Maryland, 21005  
Attn: Tech Library

Commander  
US Army Electronics Command  
Fort Monmouth, NJ 37703  
Attn: Inst for Expl Research

Commander  
US Army Electronics Command  
Fort Monmouth, NJ 37703  
Attn: DRSEL (5 copies)

Commander  
US Army Electronics Command  
Fort Monmouth, NJ 37703  
Attn: Stanley Kronenberger

Commander  
US Army Electronics Command  
Fort Monmouth, NJ 37703  
Attn: Weapons Effects Sec.

Commander  
US Army Foreign Sci & Tech Ctr  
220 7th Street, NE  
Charlottesville, VA 22901  
Attn: Robert Jones

Chief  
US Army Research Office  
P.O. Box 12211  
Triangle Park, NC 27709  
Attn: Robert Mace

Commander  
Naval Oceans Systems Center  
San Diego, CA 92152  
Attn: Code 2200 I. Rothmuller

Commander  
Naval Oceans Systems Center  
San Diego, CA 92152  
Attn: Code 2200 W. Moler

Commander  
Naval Oceans Systems Center  
San Diego, CA 92152  
Attn: Code 2200 H. Hughes

Commander  
Naval Oceans Systems Center  
San Diego, CA 92152  
Attn: Code 2200 R. Pappert

Commander  
Naval Oceans Systems Center  
San Diego, CA 92152  
Attn: Code 2200 J.R. Richter

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7712 D.P. McNutt

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7701 Jack D. Brown

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 2600 Tech Lib.

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7127 C.Y. Johnson

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7700 T.P. Coffey

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7709 Wahab Ali

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7750 D.F. Strobel

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7750 P. Juluene

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7750 J. Fedder

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7750 S. Ossakow

Director  
Naval Research Laboratory  
Washington, DC 20375  
Attn: Code 7750 J. Davis

Superintendent  
Naval Post Graduate School  
Monterey, CA 93940  
Attn: Tech Reports Librarian

Commander  
Naval Surface Weapons Center  
White Oak, Silver Spring, MD 20910  
Attn: Code WA501 Navy Nuc Prgms

Commander  
Naval Surface Weapons Center  
White Oaks, Silver Spring MD 20910  
Attn: Technical Library

Commander  
Naval Intelligence Support Center  
4301 Suitland Rd. Bldg 5  
Washington, DC 20390  
Attn: Document Control

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: LKB Kenneth S W Champion

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: OPR Alva T. Stair  
(5 copies)

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: Opr J. Ulwick

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: OPR R. Murphy

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: OPR J. Kennealy

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: PHG J.C. McClay

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: LKD Rosco Narcisi

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: LKO R. Huffman

AF Weapons Laboratory, AFSC  
Kirtland AFB, NM 87117  
Attn: Maj G. Ganong, DYM

Commander  
ASD  
WPAFB, OH 45433  
Attn: ASD-YH-EX  
Lt Col Robert Leverette

SAMSO/AW  
P.O. Box 92960  
Worldway Postal Center  
Los Angeles, CA 90009  
Attn: SZJ Major L. Doan

SAMSO/SW  
P.O. Box 92960  
Worldway Postal Center  
Los Angeles, CA 90009  
Attn: AW

AFTAC  
Patric AFB, FL 32925  
Attn: Tech Library

AFTAC  
Patric AFB, FL 32925  
Attn: TD

HQ Air Force Systems Command  
Andrews AFB  
Washington, DC 20331  
Attn: DLS

HQ Air Force Systems Command  
Andrews AFB  
Washington, DC 20331  
Attn: Tech Library

HQ Air Force Systems Command  
Andrews AFB  
Washington, DC 20331  
Attn: OLCAE

HQ Air Force Systems Command  
Andrews AFB  
Washington, DC 20331  
Attn: DLTW

HQ Air Force Systems Command  
Andrews AFB  
Washington, DC 20331  
Attn: DLXP

HQ Air Force Systems Command  
Andrews AFB  
Washington, DC 20331  
Attn: SDR

HQ USAF/RD  
Washington, DC 20330  
Attn: RDQ

Commander  
Rome Air Development Center  
Griffiss AFB, NY 13440  
Attn: J.J. Simons OCSC

Div. of Military Application  
US Energy Rsch & Dev Admin  
Washington, DC 20545  
Attn: DOC CON

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON R.A. Jeffries

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON CR Mehl ORG 5230

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON H.V. Argo

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON M. Tierney J-10

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON Robert Brownlee

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON Wm Maier

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON John Zinn

Los Alamos Scientific Lab  
P.O. Box 1663  
Los Alamos, NM 87545  
Attn: DOC CON Reference Lib.  
Ann Beyer

Sandia Laboratories  
Livermore Laboratory  
P.O. Box 965  
Livermore, CA 94556  
Attn: DOC CON T. Cook ORG  
8007

Sandia Laboratories  
P.O. Box 5800  
Albuquerque, NM 87115  
Attn: DOC CON  
W.D. Brown ORG 1353

Sandia Laboratories  
P.O. Box 5800  
Albuquerque, NM 87115  
Attn: DOC CON  
L. Anderson ORG 1247

Sandia Laboratories  
P.O. Box 5800  
Albuquerque, NM 87115  
Attn: DOC CON  
Morgan Kramma ORG 5720

Sandia Laboratories  
P.O. Box 5800  
Albuquerque, NM 87115  
Attn: DOC CON  
Frank Hudson ORG 1722

Sandia Laboratories  
P.O. Box 5800  
Albuquerque, NM 87115  
Attn: DOC CON ORG 3422  
Sandia Repts Coll.

Argonne National Laboratory  
Records Control  
9700 South Cass Avenue  
Argonne, IL 60439  
Attn: DOC CON D. W. Green

Argonne National Laboratory  
Records Control  
9700 South Cass Avenue  
Argonne, IL 60439  
Attn: DOC CON  
LIR SVCS RPTS SEC

Argonne National Laboratory  
Records Control  
9700 South Cass Avenue  
Argonne, IL 60439  
Attn: DOC CON S. Garelnick

Argonne National Laboratory  
Records Control  
9700 South Cass Avenue  
Argonne, IL 60439  
Attn: DOC CON G.T. Reedy

University of California  
Lawrence Livermore Laboratory  
P.O. Box 808  
Livermore, CA 94550  
Attn: W.H. Duewer Gen L-404

University of California  
Lawrence Livermore Laboratory  
P.O. Box 808  
Livermore, CA 94550  
Attn: Julius Chang L-71

University of California  
Lawrence Livermore Laboratory  
P.O. Box 808  
Livermore, CA 94550  
Attn: G.P. Haugen L-404

University of California  
Lawrence Livermore Laboratory  
P.O. Box 808  
Livermore, CA 94550  
Attn: D.J. Wuerales L-142

California, State of  
Air Resource Board  
9528 Telsia Avenue  
Al Monte, CA 91731  
Attn: Leo Zafonte

Calif. Institute of Technology  
Jet Propulsion Laboratory  
4800 Oak Grove Drive  
Pasadena, CA 91103  
Attn: Joseph A. Jello

US Energy Rsch & Dev Admin  
Div. of Headquarters Services  
Library Branch G-043  
Washington, DC 20545  
Attn: DOC CON Class Tech Lib

Department of Transportation  
Office of the Secretary  
TAD-44. 1, Room 10402-B  
400 7th Street S.W.  
Washington, DC 20590  
Attn: Samuel C. Coroniti

NASA  
Goddard Space Flight Center  
Greenbelt, MD 20771  
Attn: A. C. Aiken

NASA  
Goddard Space Flight Center  
Greenbelt, MD 20771  
Attn: A. Tempkin

NASA  
Goddard Space Flight Center  
Greenbelt, MD 20771  
Attn: A. J. Bauer

NASA  
Goddard Space Flight Center  
Greenbelt, MD 20771  
Attn: Technical Library

NASA  
Goddard Space Flight Center  
Greenbelt, MD 20771  
Attn: J. Siry

NASA  
600 Independence Avenue S.W.  
Washington, DC 20545  
Attn: A. Gessow

NASA  
600 Independence Avenue S.W.  
Washington, DC 20546  
Attn: D.P. Cauffman

NASA  
600 Independence Avenue S.W.  
Washington, DC 20546  
Attn: Lt Col D.R. Hallenbeck  
Code SG

NASA  
600 Independence Avenue S.W.  
Washington, DC 20545  
Attn: R. Fellows

NASA  
600 Independence Avenue S.W.  
Washington, DC 20546  
Attn: A. Schardt

NASA  
600 Independence Avenue S.W.  
Washington, DC 20546  
Attn: M. Tepper

NASA  
Langley Research Center  
Langley Station  
Hampton, VA 23365  
Attn: C. Schexnayder MS-168

NASA  
Ames Research Center  
Moffett Field, CA 94035  
Attn: N-25404 W. L. Starr

NASA  
Ames Research Center  
Moffett Field, CA 94035  
Attn: N-254-4 R. Whitten

NASA  
Ames Research Center  
Moffett Field, CA 94035  
Attn: N-254-4 I.G. Poppoff

NASA  
Ames Research Center  
Moffett Field, CA 94035  
Attn: N-254-3 N.H. Farlow

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: C. R. Balcher

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: N. H. Stone

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: W. A. Oran

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: Code ES22 John Watts

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: W. T. Roberts

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: R. D. Hudson

NASA  
George C. Marshall Space Flt.  
Center  
Huntsville, AL 35812  
Attn: R. Chappell



Albany Metallurgy Research Ctr.  
US Bureau of Mines  
P.O. Box 70  
Albany, OR 97321  
Attn: Eleanor Abshire

Central Intelligence Agency  
RD/SI RM 5G48 HQ Building  
Washington, DC 20505  
Attn: NED/OSI-2G48 HQS

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer James Devoe

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer S. Abramowitz

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer J Cooper

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer G.A. Sinnatt

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer K Kessler

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer M. Krauss

Department of Commerce  
National Bureau of Standards  
Washington, DC 20234  
Attn: Sec Officer L. Gevantman

Nat'l Oceanic & Atmospheric  
Administration  
Environmental Research Lab  
Department of Commerce  
Boulder, CO 80302  
Attn: George C. Reid  
Aeronomy Lab

Nat'l Oceanic & Atmospheric  
Administration  
Environmental Research Lab  
Department of Commerce  
Boulder, CO 80302  
Attn: Eldon Ferguson

Nat'l Oceanic & Atmospheric  
Administration  
Environmental Research Lab  
Department of Commerce  
Boulder, CO 80302  
Attn: Fred Fehsenfeld

Aero-Chem Resch Lab, Inc.  
P.O. Box 12  
Princeton, NJ 08540  
Attn: A. Fontijn

Aero-Chem Resch Lab, Inc.  
P.O. Box 12  
Princeton, NJ 08540  
Attn: H. Pergament

Aerodyne Research, Inc.  
Bedford Research Park  
Crosby Drive  
Bedford, MA 01730  
Attn: F. Bien

Aerodyne Research, Inc.  
Bedford Research Park  
Crosby Drive  
Bedford, MA 01730  
Attn: M. Camac

Aeronomy Corporation  
217 S. Neil Street  
Champaign, IL 61828  
Attn: A. Bowhill

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: N. Cohen

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: Harris Mayer

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: Sidney W. Kash

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: T. Widhoph

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: R. J. McNeal

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: R. Grove

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: Irving M. Garfunkel

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: Thomas D. Taylor

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: V. Josephson

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: Julian Reinheimer

Aerospace Corporation  
P.O. Box 92957  
Los Angeles, CA 90009  
Attn: R. D. Rawcliffe

Avco-Everett Research Lab, Inc.  
2385 Revere Beach Parkway  
Everett, MA 02149  
Attn: Technical Library

Avco-Everett Research Lab, Inc.  
2385 Revere Beach Parkway  
Everett, MA 02149  
Attn: George Sutton

Battelle Memorial Institute  
505 King Avenue  
Columbus, OH 43201  
Attn: Donald J. Hamman

Battelle Memorial Institute  
505 King Avenue  
Columbus, OH 43201  
Attn: Donald J. Ham

Battelle Memorial Institute  
505 King Avenue  
Columbus, OH 43201  
Attn: STOIAC

Battelle Memorial Institute  
505 King Avenue  
Columbus, OH 43201  
Attn: Richard K. Thatcher

Brown Engineering Co., Inc.  
Cummings Research Park  
Huntsville, AL 35807  
Attn: N. Passino

The Trustees of Boston College  
Chestnut Hill Campus  
Chestnut Hill, MA 02167  
Attn: Chairman Dept. of Chem.

Brown Engineering Co., Inc.  
Cummings Research Park  
Huntsville, AL 35807  
Attn: Ronald Patrick

California at Riverside, Univ. of  
Riverside, CA 92502  
Attn: Alan C. Lloyd

California at Riverside, Univ. of  
Riverside, CA 92502  
Attn: James N. Pitts, Jr.

California at San Diego, Univ. of  
3175 Miramar Road  
La Jolla, CA 92037  
Attn: S. C. Lin

California University of  
Berkeley Campus Room 318  
Sproul Hall  
Berkeley, CA 94720  
Attn: Sec Officer for  
Harold Johnston

California University of  
Berkeley Campus Room 318  
Sproul Hall  
Berkeley, CA 94720  
Attn: Sec Officer for F. Mozer

California University of  
Berkeley Campus Room 318  
Sproul Hall  
Berkeley, CA 94720  
Attn: Sec Officer for Dept of  
Chem. -W. H. Miller

California, State of  
Air Resources Board  
9528 Telstar Avenue  
El Monte, CA 91731  
Attn: Leo Zafonte

Calspan Corporation  
P.O. Box 235  
Buffalo, NY 14221  
Attn: C. E. Treanor

Calspan Corporation  
P.O. Box 235  
Buffalo, NY 14221  
Attn: G. C. Valley

Calspan Corporation  
P.O. Box 235  
Buffalo, NY 14221  
Attn: M. G. Dunn

Calspan Corporation  
P.O. Box 235  
Buffalo, NY 14221  
Attn: W. Wurster

Colorado, University of  
Office of Contracts & Grants  
380 Administrative Annex  
Boulder, CO 80302  
Attn: A. Phelps JILA

Colorado, University of  
Office of Contracts & Grants  
380 Administrative Annex  
Boulder, CO 80302  
Attn: Jeffrey B. Pearce LASP

Colorado, University of  
Office of Contracts & Grants  
380 Administrative Annex  
Boulder, CO 80302  
Attn: C. Beaty JILA

Colorado, University of  
Office of Contracts & Grants  
380 Administrative Annex  
Boulder, CO 80302  
Attn: C. Lineberger JILA

Colorado, University of  
Office of Contracts & Grants  
380 Administrative Annex  
Boulder, CO 80302  
Attn: C. A. Barth LASP

Columbia University, Trustees  
City of New York  
La Mont Doherty Geological  
Observatory-Torrey Cliff  
Palisades, NY 19064  
Attn: B. Phelan

Columbia University, Trustees  
City of New York  
116th Street & Broadway  
New York, NY 10027  
Attn: Richard N. Zare

Columbia University, Trustees  
City of New York  
116th & Broadway  
New York, NY 10027  
Attn: Sec Officer H.M. Foley

Concord Sciences  
P.O. Box 113  
Concord, MA 01742  
Attn: Emmett A. Sutton

Denver, University of  
Colorado Seminary  
Denver Research Institute  
P.O. Box 10127  
Denver, CO 80210  
Attn: Sec. Officer for Van Zyl

Denver, University of  
Colorado Seminary  
Denver Research Institute  
P.O. Box 10127  
Denver, CO 80210  
Attn: Sec Officer for D. Murcay

General Electric Company  
Tempo-Center for Advanced Studies  
816 State Street (P.O. Drawer QO)  
Santa Barbara, CA 93102  
Attn: DASAIC

General Electric Company  
Tempo-Center for Advanced Studies  
816 State Street (PO Drawer QO)  
Santa Barbara, CA 93102  
Attn: Warren S. Knapp

General Electric Company  
Tempo-Center for Advanced Studies  
816 State Street (PO Drawer QO)  
Santa Barbara, CA 93102  
Attn: Tim Stephens

General Electric Company  
Tempo-Center for Advanced St.  
816 State St. (PO Drawer QO)  
Santa Barbara, CA 93102  
Attn: Don Chandler

General Electric Company  
Tempo-Center for Advanced St.  
816 State St. (PO Drawer QO)  
Santa Barbara, CA 93102  
Attn: B. Cambill

General Elec. Co. Space Div.  
Valley Forge Space Center  
Goddard Blvd.  
King of Prussia  
P.O. Box 8555  
Philadelphia, PA 19101  
Attn: M. H. Bortner  
Space Science Lab

General Elec. Co. Space Div.  
Valley Forge Space Center  
Goddard Blvd. King of Prussia  
P.O. Box 8555  
Philadelphia, PA 19101  
Attn: J. Burns

General Elec. Co. Space Div.  
Valley Forge Space Center  
Goddard Blvd. King of Prussia  
P.O. Box 8555  
Philadelphia, PA 19101  
Attn: F. Alyea

General Elec. Co. Space Div.  
Valley Forge Space Center  
Goddard Blvd. King of Prussia  
P.O. Box 8555  
Philadelphia, PA 19101  
Attn: P. Z. Sands

General Elec. Co. Space Div.  
Valley Forge Space Center  
Goddard Blvd. King of Prussia  
P.O. Box 8555  
Philadelphia, PA 19101  
Attn: R. H. Edsall

General Elec. Co. Space Div.  
Valley Forge Space Center.  
Goddard Blvd. King of Prussia  
P.O. Box 8555  
Philadelphia, PA 19101  
Attn: T. Baurer

General Research Corporation  
P.O. Box 3587  
Santa Barbara, CA 93105  
Attn: John Ise, Jr.

Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701  
Attn: D. Henderson

Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701  
Attn: J. S. Wagner Physics Dept.

Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701  
Attn: B. J. Watkins

Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701  
Attn: T. N. Davis

Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701  
Attn: R. Parthasarathy

Geophysical Institute  
University of Alaska  
Fairbanks, AK 99701  
Attn: Neal Brown

Lowell, University of  
Center for Atmospheric Research  
450 Aiken Street  
Lowell, MA 01854  
Attn: G. T. Best

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: John Kumer Dept 52-54

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: John Cladis Dept 52-12

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: B. McCormac Dept 52-54

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: T. James Dept 52-54

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: B. Reagan Dept 52-12

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: M. Walt Dept 52-10

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: R. Johnson Dept 52-12

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: R. Sears Dept 52-14

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: J. R. Winkler

Institute for Defense Analysis  
400 Army-Navy Drive  
Arlington, VA 22202  
Attn: Ernest Bauer

Institute for Defense Analyze  
400 Army-Navy Drive  
Arlington, VA 22202  
Attn: Hans Wolfhard

Mission Research Corporation  
735 State Street  
Santa Barbara, CA 93101  
Attn: D. Archer

Mission Research Corporation  
735 State Street  
Santa Barbara, CA 93101  
Attn: D. Fischer

Mission Research Corporation  
735 State Street  
Santa Barbara, CA 93101  
Attn: M. Scheibe

Mission Research Corporation  
735 State Street  
Santa Barbara, CA 93101  
Attn: D. Sappenfield

Mission Research Corporation  
735 State Street  
Santa Barbara, CA 93101  
Attn: D. Sowle

Photometrics, Inc.  
442 Marrett Road  
Lexington, MA 02173  
Attn: Irving L. Kofsky

Physical Dynamics, Inc.  
P.O. Box 1069  
Berkeley, CA 94701  
Attn: J. B. Workman

Physical Dynamics, Inc.  
P.O. Box 1069  
Berkeley, CA 94701  
Attn: A. Thompson

Physical Sciences, Inc.  
30 Commerce Way  
Woburn, MA 01801  
Attn: Kurt Wray

Physical Sciences, Inc.  
30 Commerce Way  
Woburn, MA 01801  
Attn: R. L. Taylor

Physical Sciences, Inc.  
30 Commerce Way  
Woburn, MA 01801  
Attn: G. Caledonia

Physics International Co.  
2700 Merced Street  
San Leandro, CA 94577  
Attn: Doc Con for Tech Lib

Pittsburgh, University of  
Commonwealth Sys of Higher Ed.  
Cathedral of Learning  
Pittsburgh, PA 15213  
Attn: Wade L. Fite

Pittsburgh, University of  
Commonwealth Sys of Higher Ed.  
Cathedral of Learning  
Pittsburgh, PA 15213  
Attn: Manfred A. Biondi

Pittsburgh, University of  
Commonwealth Sys of Higher Ed.  
Cathedral of Learning  
Pittsburgh, PA 15213  
Attn: Frederick Kaufman

Pittsburgh, University of  
Commonwealth Sys of Higher Ed.  
Cathedral of Learning  
Pittsburgh, PA 15213  
Attn: Edward Gerjuoy

Princeton Univ. Trustees of  
Forrestal Campus Library  
Box 710  
Princeton University  
Princeton, NJ 08540

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: Richard Latter

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: R. G. Lindgren

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: Bryan Gabbard

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: H. A. Oru

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: Robert E. Lelevier

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: R. P. Turco

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: Forrest Gilmore

R & D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: D. Dee

R & D Associates  
1815 N. Ft. Myer Drive 11th fl.  
Arlington, VA 22209  
Attn: Herbert J. Mitchell

R & D Associates  
1815 N. Ft. Myer Drive 11th fl.  
Arlington, VA 22209  
Attn: J. W. Rosengren

Rand Corporation  
1700 Main Street  
Santa Monica, CA 90406  
Attn: Cullen Crain

Science Applications, Inc.  
P.O. Box 2351  
La Jolla, CA 92038  
Attn: Daniel A. Hamlin

Science Applications, Inc.  
P.O. Box 2351  
La Jolla, CA 92038  
Attn: David Sachs

Space Data Corporation  
1333 W. 21st St.  
Tempe, AZ 85282  
Attn: Edward F. Allen

SRI International  
333 Ravenswood Avenue  
Menlo Park, CA 94025  
Attn: M. Baron

SRI International  
333 Ravenswood Avenue  
Menlo Park, CA 94025  
Attn: L. Leadabrand

SRI International  
333 Ravenswood Avenue  
Menlo Park, CA 94025  
Attn: Walter G. Chestnut

SRI International  
1611 North Kent Street  
Arlington, VA 22209  
Attn: Warren W. Berning

SRI International  
1611 North Kent Street  
Arlington, VA 22209  
Attn: Charles Hulbert

Stewart Radiance Laboratory  
139 The Great Road  
Bedford, MA 01730  
Attn: R. J. Huppi  
(25 copies)

Technology International Corp.  
75 Wiggins Avenue  
Bedford, MA 01730  
Attn: W. P. Roquist

United Technologies Corp.  
755 Main Street  
Hartford, CT 06103  
Attn: H. Michels

United Technologies Corp.  
755 Main Street  
Hartford, CT 06103  
Attn: Robert Bullis

Utah State University  
Logan, UT 84322  
Attn: Doran Baker

Utah State University  
Logan, UT 84322  
Attn: Kay Baker

Utah State University  
Logan, UT 84322  
Attn: C. Wyatt

Utah State University  
Logan, UT 84322  
Attn: D. Burt

Visidyne, Inc.  
19 Third Avenue  
Northwest Industrial Park  
Burlington, MA 01803  
Attn: Henry J. Smith

Visidyne, Inc.  
19 Third Avenue  
Northwest Industrial Park  
Burlington, MA 01803  
Attn: J. W. Carpenter

Visidyne, Inc.  
19 Third Avenue  
Northwest Industrial Park  
Burlington, MA 01803  
Attn: William Reidy

Visidyne, Inc.  
19 Third Avenue  
Northwest Industrial Park  
Burlington, MA 01803  
Attn: T. C. Degges

Visidyne, Inc.  
19 Third Avenue  
Northwest Industrial Park  
Burlington, MA 01803  
Attn: Charles Humphrey

Visidyne, Inc.  
19 Third Avenue  
Northwest Industrial Park  
Burlington, MA 01803  
Attn: J. Reed

Wayne State University  
1064 MacKenzie Hall  
Detroit, MI 48202  
Attn: Pieter K. Rol  
Chem Engrg & Mat Sci

Wayne State University  
1064 MacKenzie Hall  
Detroit, MI 48202  
Attn: R. H. Kummeler

Wayne State University  
Dept. of Physics  
Detroit, MI 48202  
Attn: Walter E. Kauppila

Yale University  
New Haven, CT 06520  
Attn: Engineering Dept.

AF Geophysics Laboratory, AFSC  
Hanscom AFB, MA 01731  
Attn: OPR B. Sandford  
(10 copies)

Director  
Defense Advanced Rsch Proj Agcy  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: S. Zakanycz /STO

Director  
Defense Advanced Rsch Proj Agcy  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: P. Clark /STO



Director  
Defense Advanced Rsch Proj Agcy  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: E. Kopf /STO

Director  
Defense Advanced Rsch Proj Agcy  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: Program Management  
(MIS Division)  
(2 copies)

Director  
Defense Advanced Rsch Proj Agcy  
Architect Building  
1400 Wilson Blvd.  
Arlington, VA 22209  
Attn: J. Jenney /STO

Commander  
Naval Electronics Systems Command  
Naval Electronics Systems Command Hq.  
Washington, DC 20360  
Attn: PME 117

OSD-ASDI the Pentagon  
Washington, DC 20301  
Attn: Mr. W. Henderson

OSD-ASDI the Pentagon  
Washington, DC 20301  
Attn: Mr. A. Albrecht

US Arms Control & Disarmament  
Agency  
Department of State  
Washington, DC 20451  
Attn: Dr. F. Elmer

Commander, US Army Missile  
Command  
Redstone Arsenal, AL 35809  
Attn: DRDMI-NS Mr. Drake

Commander, US Army Missile  
Command  
Redstone Arsenal, AL 35809  
Attn: DRDMI/REI Mr. Jackson

Missile Intelligence Agency  
Redstone Arsenal  
Huntsville, AL 35809  
Attn: DRSMI-YDL

Hq USAF  
Washington, DC 20330  
Attn: Col L. Deliso, RDSD

Hq USAF  
Washington, DC 20330  
Attn: Lt Col C. Heimach, RDSD

Hq USAF  
Washington DC 20330  
Attn: Lt Col G. Watts, RDSD

Air Force Systems Command  
Andrews Air Force Base  
Washington, DC 20334  
Attn: Capt D. Beadner, DLCEA

Air Force Systems Command  
Andrews Air Force Base  
Washington, DC 20334  
Attn: Maj W. Kurowski, XRID

SAMSO, P.O. Box 92960  
Worldwide Postal Center  
Los Angeles, CA 90009  
Attn: Col J. McCormick, SZ

SAMSO, P.O. Box 92960  
Worldwide Postal Center  
Los Angeles, CA 90009  
Attn: Col R. W. Johnson, DY

SAMSO, P.O. Box 92960  
Worldwide Postal Center  
Los Angeles, CA 90009  
Attn: Lt Col R. Shields, SZD

SAMSO, P.O. Box 92960  
Worldwide Postal Center  
Los Angeles, CA 90009  
Attn: Lt Col E. Gee, DYA

Rome Air Develop. Center, AFSO  
Griffiss Air Force Base  
Rome, NY 13440  
Attn: Mr. D. D. Dylis, IRAD

Air Force Propulsion Lab  
Edwards Air Force Base, CA 93523  
Attn: Dr. J. D. Stewart

Air Force Armament Lab  
Eglin Air Force Base, FL 32542  
Attn: Capt W. Rothschild, DLMQ

Foreign Technology Division  
Wright-Patterson AFB OH 45433  
Attn: Mr. T. Larson

Foreign Technology Division  
Wright-Patterson AFB OH 45433  
Attn: Mr. R. C. Frick

Air Force Avionics Lab  
Air Force Systems Command  
Wright-Patterson AFB, OH 45433  
Attn: Mr. W. Edwards

Arnold Engineering Development  
Center, TN 37389  
Attn: Dr. H. E. Scott

Arnold Engineering Development  
Center, TN 37389  
Attn: Dr. W. K. McGregor

Arnold Engineering Development  
Center, TN 37389  
Attn: Dr. C. Peters

Naval Weapons Center  
China Lake, CA 93555  
Attn: Mr. W. L. Capps

Naval Weapons Center  
China Lake, CA 93555  
Attn: Dr. M. Benton

Naval Weapons Center  
China Lake, CA 93555  
Attn: Dr. L. Wilkins

Central Intelligence Agency  
Washington, DC 20505  
Attn: Mr. Berguist

Aerospace Corporation  
El Segundo Operations  
P.O. Box 95085  
Los Angeles, CA 90045  
Attn: Dr. F. Simmons

Aerospace Corporation  
El Segundo Operations  
P.O. Box 95085  
Los Angeles, CA 90045  
Attn: Dr. R. Lee

Aerospace Corporation  
El Segundo Operations  
P.O. Box 95085  
Los Angeles, CA 90045  
Attn: Dr. C. Randall

Aerospace Corporation  
El Segundo Operations  
P.O. Box 95085  
Los Angeles, CA 90045  
Attn: Dr. H. Graff

Aerospace Corporation  
El Segundo Operations  
P.O. Box 95085  
Los Angeles, CA 90045  
Attn: Dr. J. Ator

Institute for Defense Analysis  
400 Army-Navy Drive  
Arlington, VA 22202  
Attn: Dr. H. G. Wolfhard

Institute for Defense Analysis  
400 Army-Navy Drive  
Arlington, VA 22202  
Attn: Dr. L. Biberman

Aerodyne Research, Inc.  
Bedford Research Park  
Crosby Drive  
Bedford, MA 01730  
Attn: Dr. J. Draper

Aerodyne Research Inc.  
Bedford Research Park  
Crosby Drive  
Bedford, MA 01730  
Attn: Dr. H. Camac

Block Engineering  
19 Blackstone Street  
Cambridge, MA 02139  
Attn: Dr. M. Weinberg

Carson System, Inc.  
4630 Campus Drive  
Newport Beach, CA 92660  
Attn: Dr. John Carson

CALSPAN  
4455 Genesee St.  
Buffalo, NY 14221  
Attn: Dr. C. Treanor

CALSPAN  
4455 Genesee St.  
Buffalo, NY 14221  
Attn: Dr. W. Wurster

Environmental Research Inst of  
Michigan  
P.O. Box 618  
Ann Arbor, MI 48107  
Attn: Mr. G. Lindquist

Environmental Research Inst of  
Michigan  
P.O. Box 618  
Ann Arbor, MI 48107  
Attn: Mr. R. Legault

GASL  
Merrick & Stewart Avenues  
Westbury, NY 11590  
Attn: R. R. Vaglio-Laurin

Grumman Aerospace Corp.  
Research Dept - Plant 35  
Bethpage, Long Island, NY 11714  
Attn: Dr. M. Slack

Grumman Aerospace Corp.  
Research Dept - Plant 35  
Bethpage, Long Island, NY 11714  
Attn: Dr. D. Moyer

Hughes Aircraft Company  
Culver City, CA 90230  
Attn: Mr. I. Sandback

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: Dr. D. Pecka

Lockheed Missiles & Space Co.  
3251 Hanover Street  
Palo Alto, CA 94304  
Attn: Dr. E. Smith

Riverside Research Institute  
1701 Fort Myer Drive  
Arlington, VA 22209  
Attn: R. C. Passut

Rockwell International Corp.  
Space Division/SF12  
12214 S. Lakewood Blvd.  
Downey, CA 90241  
Attn: Richard T. Pohlman

Science Applications, Inc.  
P.O. Box 2531  
La Jolla, CA 92037  
Attn: Dr. Jim Myer

Defense Intelligence Agency  
Washington, DC 20301  
Attn: Mr. S. Berler DT-1A

R&D Associates  
4640 Admiralty Way  
P.O. Box 9695  
Marina Del Ray, CA 90291  
Attn: Mr. Bryan Gabbard

General Electric Company  
Aircraft Engine Group  
Evandale Plant  
Cincinnati, OH 45215  
Attn: B. Wilton, Mail Code E198

Boeing Aerospace Co.  
P.O. Box 3707  
Seattle, WA 98124  
Attn: D.M. Owens M/S 8H27

Northrup Aircraft Division  
3901 W. Broadway  
Hawthorne, CA 90250  
Attn: Dr. J. Cashen

Air Force Avionics Lab  
Wright-Patterson AFB, OH 45433  
Attn: Dr. R. B. Sanderson/WRP

Air Force Avionics Lab  
Wright-Patterson AFB, OH 45433  
Attn: B. J. Sabo/WRA-1/Library

Aeronautical Systems Division  
Wright-Patterson AFB, OH 45433  
Attn: D.J. Wallick/ENFTV

Aeronautical Systems Division  
Wright-Patterson AFB, OH 45433  
Attn: Major L. Basten/AEMA

Air Force Flight Systems Lab/FXB  
Wright-Patterson AFB, OH 45433  
Attn: Dan Fragga

Hq Strategic Air Command/XPES  
Offutt AFB, NE 68113  
Attn: Major B. Stephen  
(2 copies)

Air Force Technical Applications  
Center/TAS  
Patrick AFB, FL 32925  
Attn: Capt R. Zwirnbaum